



SUBMITTAL INFORMATION

Inverted Key Curb Stop- (Z44-xxxSW style)



PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS) INLET AND OUTLET



Stop and Waste Hole

Sturdy stops allow 90° motion and are enclosed and protected.

Bronze pin securely locks the tee head to the inverted key

Beveled EPDM rubber gasket provides hydraulic seal

A Buna-N rubber O-ring near the top of the inverted key offers extra protection against leaks.

Stainless steel screw activates clamp

Integral clamp contains machined grooves for axial restraint

Inlet Size

Outlet Size

Pack Joint Nut

Pack Joint Nut

Anti-friction washer

A water passage on the inlet side provides upward pressure on the key, helping to hold it in the proper position.

Length

A bronze coil spring exerts a constant upward force on the bottom of the key. If the tee-head requires tapping to free a stuck key, the spring automatically re-seats the key in a watertight position.

VALVE SIZE	INLET SIZE	OUTLET SIZE	LENGTH	APPROX. WT. LBS	PART NUMBER	✓ SUBMITTED ITEM(S)
1/2"	1/2"	1/2"	3-5/8"	1.7	▼ Z44-111SW	
3/4"	5/8"	5/8"	5-1/16"	2.9	▼ Z44-322SW	
3/4"	3/4"	3/4"	5-1/16"	2.8	▼ Z44-333SW	
1"	1"	1"	6-1/16"	4.1	▼ Z44-444SW	



▼ UL Classified to ANSI/NSF Standard 61.

Note: Ford recommends using insert stiffeners with plastic pipe or tubing.

FEATURES

- All brass conforms to AWWA Standard C800 (ASTM B-62 and ASTM B-584, UNS NO C83600 - 85-5-5-5)
- Hole for attaching curb box rod is provided in tee-head.
- Meets 100 PSI pressure requirement of AWWA Standard C800.

Optional full 360° tee-head rotation. Add "R" to end of part number.

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current.



The Ford Meter Box Company, Inc.

P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443

Phone: 260-563-3171 / Fax: 800-826-3487

Overseas Fax: 260-563-0167

<http://www.fordmeterbox.com>

10/03/06

Submitted By: