

# Quarter Bends, Eighth Bends and Straight Couplings

For F200 and F300 Corporation Stops. (Gaskets are included)



LXI Products meet  
ANSI/NSF Standard 61  
see page 2



## Female Coupling Thread by Flared Copper

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.
	INLET SIZE	OUTLET SIZE	CORP SIZE		
<b>QUARTER BENDS</b>					
L102-23	5/8"	3/4"	5/8"	1.0	15
L102-33	3/4"	3/4"	3/4"	.9	15
* L102-33S	3/4"	3/4"	3/4"	1.0	14
L102-44	1"	1"	1"	1.7	8
* L102-44S	1"	1"	1"	1.6	8
<b>EIGHTH BENDS</b>					
LA102-23	5/8"	3/4"	5/8"	.8	18
LA102-33	3/4"	3/4"	3/4"	.8	18
* LA102-33S	3/4"	3/4"	3/4"	.9	15
LA102-44	1"	1"	1"	1.5	8
* LA102-44S	1"	1"	1"	1.5	10
<b>STRAIGHT COUPLINGS</b>					
C102-13	1/2"	3/4"	1/2"	.7	25
C102-23	5/8"	3/4"	5/8"	.75	25
C102-33	3/4"	3/4"	3/4"	.7	25
C102-34	3/4"	1"	3/4"	1.0	15
C102-44	1"	1"	1"	1.3	10

\* "S" in Catalog Number indicates swivel inlet.

## Female Coupling Thread by Pack Joint Outlet for Copper or Plastic Tubing (CTS)



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.
	INLET SIZE	OUTLET SIZE	CORP SIZE		
<b>QUARTER BENDS</b>					
L104-33	3/4"	3/4"	3/4"	.83	-
*♦ L104-33S	3/4"	3/4"	3/4"	1.0	12
L104-44	1"	1"	1"	1.4	6
* L104-44S	1"	1"	1"	1.3	8
<b>EIGHTH BENDS</b>					
LA104-23	5/8"	3/4"	5/8"	.8	18
♦ LA104-23S	5/8"	3/4"	5/8"	1.0	-
LA104-33	3/4"	3/4"	3/4"	.7	18
* LA104-33S	3/4"	3/4"	3/4"	.9	15
LA104-44	1"	1"	1"	1.4	8
* LA104-44S	1"	1"	1"	1.2	10
<b>STRAIGHT COUPLINGS</b>					
♦ C104-23	5/8"	3/4"	5/8"	.7	20
♦ C104-33	3/4"	3/4"	3/4"	.7	18
♦ C104-44	1"	1"	1"	1.0	12

\* "S" in Catalog Number indicates swivel inlet.

**Grip Joint** for CTS is available. Add "-G" to the Catalog Number.

♦ **Quick Joint** is available. Add "-Q" to this catalog number.



LXI Products meet  
ANSI/NSF Standard 61  
see page 2

# Quarter Bends and Eighth Bends

For Ford Corporation Stops and Ford Ballcorp Corporation Stops  
For F400, F500 and Ballcorp FB400 and FB500 Corporation Stops.



## Female Iron Pipe Thread by Flared Copper

CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.
	INLET SIZE	OUTLET SIZE		
<b>QUARTER BENDS</b>				
L21-33	3/4"	3/4"	1.0	16
L21-44	1"	1"	1.8	8
L21-66	1-1/2"	1-1/2"	3.8	3
L21-77	2"	2"	6.5	1
<b>EIGHTH BENDS</b>				
LA21-33	3/4"	3/4"	.9	18
LA21-44	1"	1"	1.6	10
<b>Female Iron Pipe Thread by Male Iron Pipe Thread</b>				
LA81-44	1"	1"	1.0	1.5

For F600, F700, and Ballcorp FB600 and FB700 Corporation Stops.  
(Copper Gaskets are included)



## Eighth Bends

CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.
	INLET SIZE	OUTLET SIZE		
<b>FEMALE COPPER THREAD BY FLARE COPPER</b>				
LA02-33	3/4"	3/4"	.8	18
LA02-44	1"	1"	1.4	10
LA02-66	1-1/2"	1-1/2"	3.2	2
* LA02-66S	1-1/2"	1-1/2"	3.2	2
LA02-77	2"	2"	6.4	3
* LA02-77S	2"	2"	6.4	3
<b>FEMALE COPPER THREAD BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)</b>				
LA04-33	3/4"	3/4"	.7	18
LA04-44	1"	1"	1.1	10
LA04-66	1-1/2"	1-1/2"	2.5	4
LA04-77	2"	2"	4.3	2
<b>FEMALE COPPER THREAD BY PACK JOINT FOR PE PIPE</b>				
LA06-33	3/4"	3/4"	.8	14
LA06-44	1"	1"	1.6	5

Grip Joint for CTS is available. Add "-G" to the Catalog Number.

Grip Joint for PEP (3/4" & 1") is available. Add "-G" to the Catalog Number.

\* "S" in Catalog Number indicates swivel inlet.

# Quarter Bends and Eighth Bends

For Ford Corporation Stops and Ford Ballcorp Corporation Stops

For F600, F700, and FB600 and FB700 Ballcorp Corporation Stops.  
(Copper Gaskets are included)



LXI Products meet  
ANSI/NSF Standard 61  
see page 2

## Quarter Bends



L02-33

CATALOG NUMBER	DESCRIPTION		APPROX. Wt. LBS.	STD. PKG. QTY.
	INLET SIZE	OUTLET SIZE		
<b>FEMALE COPPER THREAD BY FLARE COPPER</b>				
L02-33	3/4"	3/4"	1.0	15
L02-44	1"	1"	1.6	8
L02-66	1-1/2"	1-1/2"	3.2	2
L02-77	2"	2"	6.9	1
<b>FEMALE COPPER THREAD BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)</b>				
L04-33	3/4"	3/4"	.8	15
L04-34	3/4"	1"	.9	10
L04-44	1"	1"	1.2	8
L04-66	1-1/2"	1-1/2"	3.5	2
L04-77	2"	2"	6.5	2
<b>FEMALE COPPER THREAD BY PACK JOINT FOR PE PIPE</b>				
L06-33	3/4"	3/4"	.9	12
L06-44	1"	1"	1.2	6

*Grip Joint* for CTS and PEP (3/4" & 1") is available. Add "-G" to the Catalog Number.

## Swivel Eighth Bends



LA02-33S

CATALOG NUMBER	DESCRIPTION		APPROX. Wt. LBS.	STD. PKG. QTY.
	INLET SIZE	OUTLET SIZE		
<b>FEMALE COPPER THREAD SWIVEL NUT BY FLARE COPPER</b>				
LA02-33S	3/4"	3/4"	1.0	18
LA02-44S	1"	1"	1.5	10
LA02-66S	1-1/2"	1-1/2"	4.3	-
LA02-77S	2"	2"	7.7	-
<b>FEMALE COPPER THREAD SWIVEL NUT BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)</b>				
◆ LA04-33S	3/4"	3/4"	.9	15
◆ LA04-44S	1"	1"	1.2	8

*Grip Joint* for CTS is available. Add "-G" to the Catalog Number.

## Swivel Quarter Bends



L02-33S

CATALOG NUMBER	DESCRIPTION		APPROX. Wt. LBS.	STD. PKG. QTY.
	INLET SIZE	OUTLET SIZE		
<b>FEMALE COPPER THREAD SWIVEL NUT BY FLARE COPPER</b>				
L02-33S	3/4"	3/4"	1.2	14
L02-44S	1"	1"	1.8	8
L02-66S	1-1/2"	1-1/2"	4.7	2
L02-77S	2"	2"	8.0	1
<b>FEMALE COPPER THREAD SWIVEL NUT BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)</b>				
◆ L04-33S	3/4"	3/4"	1.1	12
L04-44S	1"	1"	1.4	8

*Grip Joint* for CTS is available. Add "-G" to the Catalog Number.

◆ *Quick Joint* is available. Add "-Q" to this catalog number.

**NOTE:** Ford recommends using Insert Stiffeners when using plastic pipe or tubing. See page A-4.



LXI Products meet  
ANSI/NSF Standard 61  
see page 2

# Quarter Bends and Eighth Bends

For Ford Corporation Stops and Ford Ballcorp Corporation Stops  
For F800, F900 and FB800, FB900 Ballcorp Corporation Stops.



L12-43



LA12-43



LA14-43

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.
	FIP INLET SIZE	OUTLET SIZE	CORP SIZE		
<b>QUARTER BENDS WITH FLARE COPPER OUTLET</b>					
L12-43	1"	3/4"	3/4"	.9	14
L12-54	1-1/4"	1"	1"	1.6	8
<b>EIGHTH BENDS WITH FLARE COPPER OUTLET</b>					
LA12-43	1"	3/4"	3/4"	.8	20
LA12-54	1-1/4"	1"	1"	1.4	10
<b>EIGHTH BENDS WITH PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS) OUTLET</b>					
LA14-43	1"	3/4"	3/4"	.7	18
LA14-54	1-1/4"	1"	1"	1.1	-
LA14-76	2"	1-1/2"	1-1/2"	2.8	4
LA14-87	2-1/2"	2"	2"	5.2	2

*Grip Joint* for CTS is available. Add "-G" to the Catalog Number.

## Ford Tube Nuts and Copper Gaskets

### Copper Tube Nuts for Flared Copper Connections



CATALOG NUMBER	DESCRIPTION COPPER SIZE	APPROX. WT. LBS.	STD. PKG. QTY.
CTN-1	1/2"	.2	-
CTN-2	5/8"	.2	-
CTN-3	3/4"	.4	-
CTN-4	1"	.5	-
CTN-5	1-1/4"	.8	-
CTN-6	1-1/2"	1.1	-
CTN-7	2"	2.3	-

### Copper Gaskets - to use with adapters replacing Flare Nut



CATALOG NUMBER	DESCRIPTION CONN. SIZE	APPROX. WT. LBS.	STD. PKG. QTY.
SLC-3	3/4"	.01	-
SLC-4	1"	.02	-
SLC-5	1-1/4"	.03	-
SLC-6	1-1/2"	.04	-
SLC-7	2"	.08	-