



LXI Products meet
ANSI/NSF Standard 61
see page 2

Ford Check Valves and Dual Check Valves

with Flanged Inlet for 1-1/2" and 2" Meters



Angle Dual Check Valves (In-Line Accessible) ASSE Approved


METER FLANGE INLET BY FEMALE IRON PIPE THREAD OUTLET

| CATALOG NUMBER | DESCRIPTION | | | APPROX. WT. LBS. |
|----------------|-------------|------------------|-------------|------------------|
| | VALVE SIZE | METER SIZE INLET | OUTLET SIZE | |
| HHFA31-777 | 2" | 1-1/2" and 2" | 2" | 8.4 |

A three-port bleeder valve configuration is available for the HHFA31-777 valve (catalog number HHFA31-777-3TV). Contact the factory for availability.

Integral 1-1/2" FIP test plug is available. Add "-TP6" to the end of the catalog number.

Pressure Drop Test - 2" HHFA Dual Check Valves



Angle Check Valves (In-Line Accessible)

| CATALOG NUMBER | DESCRIPTION | | | APPROX. WT. LBS. |
|----------------|-------------|------------------|-------------|------------------|
| | VALVE SIZE | METER SIZE INLET | OUTLET SIZE | |
| HFA31-666 | 1-1/2" | 1-1/2" | 1-1/2" | 6.6 |
| HFA31-777 | 2" | 1-1/2" and 2" | 2" | 8.2 |



Straight Check Valves (In-Line Accessible)

METER FLANGE INLET BY FEMALE IRON PIPE THREAD OUTLET

| CATALOG NUMBER | DESCRIPTION | | | LENGTH | APPROX. WT. LBS. |
|----------------|-------------|------------------|-------------|--------|------------------|
| | VALVE SIZE | METER SIZE INLET | OUTLET SIZE | | |
| HFS31-666 | 1-1/2" | 1-1/2" | 1-1/2" | 5-1/8" | 6.9 |
| HFS31-777 | 2" | 1-1/2" and 2" | 2" | 5-7/8" | 8.4 |

Options Available

Meter Support Brackets to support meter during installation are available on 1-1/2" and 2" flanged valves at additional cost. ADD "-MSB" to the catalog number. EXAMPLE: HFA31-666-MSB.