

FORD METER BOX TESTING EQUIPMENT SECTION K

Ford Test Bench Numbering System

TYPE OF TEST BENCH

- STB** = Standard Test Bench
- ITB** = Indianapolis Test Bench
- SATB** = Akron Test Bench for Up to 17" Long Meters
- LATB** = Akron Test Bench for Up to 21" Long Meters

1 1 0 ITB - DR - LR - AMS

NUMBER OF TEST UNITS

- 1** = 1 for Standard or Akron
- 2** = 2 for Standard or Akron
- 3** = 3 for Standard or Akron
- 4** = 4 for Standard or Akron
- 5** = 5 for Standard
- 6** = 6 for Standard
- 7** = 7 for Standard
- 8** = 8 for Standard
- 16** = 16 for Double Row Standard
- 20** = 20 for Double Row Standard
- 110** = 10 for Indianapolis
- 112** = 12 for Indianapolis
- 120** = 20 for Double Row Indianapolis
- 124** = 24 for Double Row Indianapolis

NUMBER OF ROWS

- DR** = Double Row
(omit for single row)


DIRECTION OF FLOW

- LR** = Left to Right
- RL** = Right to Left


OPTIONS

- AMS** = Automated Measuring System
- ECU** = Electronic Control Unit
- ASC** = Auto-Stop

Note: See item listings in catalog section to ensure that desired sizes and options are available.



Standard Test Bench
(with manual clamping)



Indianapolis Test Bench
(with hydraulic clamping)

Note: Items in this catalog section are not returnable and are subject to cancellation charges. Test benches and tanks are manufactured per order; they are not stocked items.

STANDARD TEST BENCHES
(for 5/8" through 1" meters)

CATALOG NUMBER		DESCRIPTION			APPROX. SHIP WT. LBS.	LIST PRICE	AMS LIST PRICE
FLOW LEFT TO RIGHT	FLOW RIGHT TO LEFT	NUMBER OF UNITS	LENGTH OF PAN	WIDTH OF PAN			
1STB-LR	1STB-RL	1	22"	14"	200.0	\$ 7625.56	P.O.A.
2STB-LR	2STB-RL	2	38"	16-1/2"	290.0	9016.43	P.O.A.
3STB-LR	3STB-RL	3	54"	16-1/2"	360.0	10356.55	P.O.A.
4STB-LR	4STB-RL	4	70"	16-1/2"	430.0	11332.28	P.O.A.
5STB-LR	5STB-RL	5	86"	16-1/2"	490.0	12315.90	P.O.A.
6STB-LR	6STB-RL	6	102"	16-1/2"	530.0	13709.62	P.O.A.
8STB-LR	8STB-RL	8	134"	16-1/2"	610.0	16422.06	P.O.A.
DOUBLE ROW STANDARD TEST BENCH							
8STB-DR-LR	8STB-DR-RL	8	76"	20"	700.0	19575.38	P.O.A.
16STB-DR-LR	16STB-DR-RL	16	140"	20"	1200.0	26238.07	P.O.A.

Standard Test Benches include the following: Adapters and gaskets for 5/8", 5/8" x 3/4", 3/4" and 1" meters, ball valve at inlet and outlet, testerate indicator, pressure gauges at inlet and outlet, bleeder or adjusting valve at outlet of each unit, a drain valve at bench outlet, 18" copper swinging discharge pipe at outlet, idlers for all but one meter testing station.

Note: Tester clamp for Standard Bench. Catalog number: TC \$ 1049.89

INDIANAPOLIS STYLE TEST BENCHES
(for 5/8" through 1" meters)

CATALOG NUMBER		DESCRIPTION			APPROX. SHIP WT. LBS.	LIST PRICE MANUAL BENCH	AMS LIST PRICE
FLOW LEFT TO RIGHT	FLOW RIGHT TO LEFT	NUMBER OF UNITS	LENGTH OF PAN	WIDTH OF PAN			
SINGLE ROW INDIANAPOLIS TEST BENCHES							
110ITB-LR	110ITB-RL	10	102"	16-1/2"	650.0	\$ 25775.81	P.O.A.
112ITB-LR	112ITB-RL	12	118"	16-1/2"	700.0	30221.96	P.O.A.
DOUBLE ROW INDIANAPOLIS TEST BENCHES							
120ITB-DR-LR	120ITB-DR-RL	20	108"	20"	1000.0	49280.88	P.O.A.
124ITB-DR-LR	124ITB-DR-RL	24	124"	20"	1000.0	55923.15	P.O.A.

Indianapolis Test Benches include the following: Hydraulic cylinder at inlet for automatic clamping of meters, units or spaces for 10 or 12 meters as ordered, ball valve at inlet, testerate indicator, pressure gauges at inlet and outlet, bleeder or adjusting valve at outlet of each unit, a drain valve at outlet of bench, 18" copper swinging discharge pipe at outlet of bench, all necessary gaskets and adapters, and idlers for all but one meter testing station.

Note: Tester clamp for 1" Indianapolis Bench. Catalog number: TC \$ 1049.89

AKRON STYLE TEST BENCHES
(for 1-1/2" through 2" meters)

CATALOG NUMBER		DESCRIPTION				APPROX. SHIP WT. LBS.	LIST PRICE MANUAL BENCH
FLOW LEFT TO RIGHT	FLOW RIGHT TO LEFT	NUMBER OF UNITS	MAX. MTR. SIZE	LENGTH OF PAN	WIDTH OF PAN		
1SATB-LR	1SATB-RL	1	17"	54"	16-1/2"	550.0	\$ 26068.20
2SATB-LR	2SATB-RL	2	17"	70"	16-1/2"	700.0	31746.31
3SATB-LR	3SATB-RL	3	17"	102"	16-1/2"	880.0	39721.68
4SATB-LR	4SATB-RL	4	17"	134"	16-1/2"	990.0	47416.30
1LATB-LR	1LATB-RL	1	21"	54"	16-1/2"	600.0	26355.14
2LATB-LR	2LATB-RL	2	21"	86"	16-1/2"	750.0	33184.31
3LATB-LR	3LATB-RL	3	21"	118"	16-1/2"	940.0	41694.56
4LATB-LR	4LATB-RL	4	21"	134"	16-1/2"	1090.0	48944.64

Akron Test Benches include the following: Hydraulic clamping cylinder and adjustable pedestal for each unit, 2" valve at inlet and outlet, bleeder or adjusting valve at outlet of each unit, pressure gauges at inlet and outlet of bench, double range testerate indicator with flow adjusting valve at bench outlet (see catalog section K page 10 for description), all necessary adapters and gaskets for 1-1/4" flanged meters, 1-1/2" and 2" flanged and tapped meters, 2" idlers for all but one meter testing station and globe-style blow-off valve at outlet of bench.

Note: Prices will be quoted promptly on any special features desired on Akron Test Benches.
Swing discharge pipes and adapters for smaller meters must be ordered separately for Akron Benches.

Ordering Information for the Akron Bench

For best results, indicate on your order the meter sizes to be tested on your Akron Bench, including lengths and types of connections on meters (flanges, female threads, male threads).

TEST BENCH OPTIONS AND ACCESSORIES

FORD AUTO-STOP

The Test Bench Auto-Stop can be included on a new bench by adding "-ASC" or as a retro-fit kit on any existing Ford Test Bench. Contact the factory for pricing and order information.

Note: Auto-Stop requires a small air compressor (not included)

AUTO-STOP DRAIN PACKAGE (OPTIONAL)

To automate tank drain, select the DVPK Drain Valve Pilot Kit and 1 or more of the Drain Valve Packages below.

	CATALOG NUMBER	COMPONENT	DESCRIPTION	LIST PRICE
Drain Package (select DVPK and one or more drain valve packages)	DVPK		Drain Valve Pilot Kit	\$ 479.75
		* DVPKG-4	Drain Valve Package for 1" NPT (drain valve kit for small tanks)	836.18
		* DVPKG-6	Drain Valve Package for 1-1/2" NPT (drain valve kit for mid-size tanks)	1198.27
		* DVPKG-7	Drain Valve Package for 2" NPT (drain valve kit for mid-size tanks)	1436.58
		* DVPKG-9	Drain Valve Package for 3" NPT (drain valve kit for large tanks)	3582.49

Note: To order a Drain Valve Package on a new tank that will be used with the Auto-Stop, first select the Drain Valve Pilot Kit (DVPK) as a separate line item. Then, add the Drain Valve Package price to the tank price and add "-DVP" to the end of the tank part number.

* To determine the proper drain valve kit for small, medium or large sized tanks, refer to the discharge size column from table listed on the next page.

INDICATORS FOR EXISTING BENCHES

TESTERATE INDICATOR (for Standard or Indianapolis Bench)

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
KTI	Testerate Indicator	10	\$ 3243.90
KTI-IG	Testerate Indicator with Imperial Gallon Calibrations	10	3347.07
KTI-L	Testerate Indicator with Liter Calibrations per Hour	10	3347.07
KTI-LM	Testerate Indicator with Liter Calibrations per Minute	10	3347.07

**ELECTRIC VALVE FLOW CONTROL
(NOT REQUIRED FOR AMS OR AUTO-STOP BENCHES)**

ECU for new or existing test benches - contact factory for information.

Note: This product includes electric valve and accessories (strainer, control valve, all electrical equipment and switches, and two electrodes) in by-pass around outlet flow control valve of Standard and Indianapolis Test Benches.



CALIBRATED TESTING TANKS

STAINLESS STEEL

CATALOG NUMBER	NOMINAL SIZE	DIA.	Ht.	CALIBRATION POINTS	SIZE DISCHARGE	APROX. SHIP Wt. LBS.	LIST PRICE
1-F-SS	1 cu. ft.	7"	60"	1 and 1/2 cu. ft.	1"	105.0	**
10-GF-SS	10 gal.	9"	60"	10 and 5 gal. 1 cu. ft.	1"	120.0	**
20-GF-SS	3 cu. ft.	13"	60"	3 and 2 cu. ft. 20 and 10 gal.	1-1/2"	130.0	**
10-FG-SS	10 cu. ft.	22"	60"	10 and 5 cu. ft. 70 and 30 gal.	1-1/2"	200.0	**
100-GF-SS	100 gal.	26"	60"	100 and 50 gal. 10 cu. ft.	2"	240.0	**
50-F-SS	50 cu. ft.	47"	72"	50 and 25 cu. ft.	3"	690.0	**
500-G-SS	500 gal.	54"	72"	500 and 250 gal.	3"	800.0	**
100-F-SS	100 cu. ft.	67"	72"	100 and 50 cu. ft.	3"	1230.0	**
1000-G-SS	1000 gal.	73"	78"	1000 and 500 gal.	3"	1600.0	**
1000-GF-SS	1000 gal.	73"	78"	1000 and 500 gal. and 100 cu. ft.	3"	1680.0	**

OTHER TANKS AVAILABLE

STAINLESS STEEL

CATALOG NUMBER	NOMINAL SIZE	DIA.	Ht.	CALIBRATION POINTS	SIZE DISCHARGE	APROX. SHIP Wt. LBS.	LIST PRICE
25-L-SS	25 liters	7"	60"	AS SPECIFIED BY PURCHASER	1"	110.0	**
50-L-SS	50 liters	9"	60"		1"	117.0	**
100-L-SS	100 liters	13"	60"		1-1/2"	190.0	**
150-L-SS	150 liters	16"	60"		1-1/2"	215.0	**
200-L-SS	200 liters	19"	60"		1-1/2"	275.0	**
400-L-SS	400 liters	26"	60"		2"	375.0	**
500-L-SS	500 liters	30"	60"		2"	420.0	**
600-L-SS	600 liters	32"	60"		2"	480.0	**
1000-L-SS	1 cu. meter	39"	72"		3"	505.0	**
2000-L-SS	2 cu. meters	54"	72"		3"	970.0	**
3000-L-SS	3 cu. meters	67"	72"		3"	1500.0	**
4000-L-SS	4 cu. meters	73"	78"		3"	1925.0	**
5000-L-SS	5 cu. meters	84"	78"		3"	2550.0	**

** Please contact factory for price quotation.

AUTOMATED TANK DRAINS

To automate tank drain valve (when not using the Auto-Stop), select the TB-LVPKG (actuating lever) and 1 or more of the drain valve packages below.

	CATALOG NUMBER	COMPONENT	DESCRIPTION	LIST PRICE
Drain Package (select TB-LVPKG and one or more drain valve packages)	TB-LVPKG		Actuating Lever	479.75
		* DVPKG-4	Drain Valve Package for 1" NPT (drain valve kit for small tanks)	836.18
		* DVPKG-6	Drain Valve Package for 1-1/2" NPT (drain valve kit for mid-size tanks)	1198.27
		* DVPKG-7	Drain Valve Package for 2" NPT (drain valve kit for mid-size tanks)	1436.58
		* DVPKG-9	Drain Valve Package for 3" NPT (drain valve kit for large tanks)	3582.49

Note: To order a Drain Valve Package on a new tank (that will not be used with an Auto-Stop), first select the Actuating Lever (TB-LVPKG) as a separate line item. Then, add the Drain Valve Package price to the tank price and add "-DVP" to the end of the tank part number.

* To determine the proper drain valve kit for small, medium or large sized tanks, refer to the discharge size column from the tables above.

PARTS FOR STANDARD TEST BENCHES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9552	1" Inlet Ball Valve	\$ 109.74
9553	3/4" x 1" Outlet Ball Valve	81.88
KTI	KTI Testerate Indicator	3243.90
9557	18" Swinging Discharge Pipe - (standard length)	122.88
9558	24" Swinging Discharge Pipe	141.51
9560	Pressure Gage Only, 0-200 PSI (1400 KPA)	126.50
9561	Pressure Gage with Nipple and Petcock	141.18
9562-S-A	Blow-off Valve and Discharge Tube for Standard or Akron Bench	149.82
9563-LR	Inlet Piece with Expansion Connection / Left to Right Flow	337.40
9563-RL	Inlet Piece with Expansion Connection / Right to Left Flow	337.40
9564-LR	90° Outlet Piece with Sides Tapped for Blow-Off Valve and Pressure Gage / Left to Right Flow	118.14
9564-RL	90° Outlet Piece with Sides Tapped for Blow-Off Valve and Pressure Gage / Right to Left Flow	118.14
9565-LR	Intermediate Piece with Expansion Connection and Bleeder Valve Assembly / Left to Right Flow	383.53
9565-RL	Intermediate Piece with Expansion Connection and Bleeder Valve Assembly / Right to Left Flow	383.53
9566-S	Bleeder Valve Assembly with Screw, O-ring and Drain Tube (for Standard Test Bench)	44.69
9567	Bleeder Valve Screw with O-ring	13.36
9568-67	Bleeder Valve Body with Screw and O-ring	29.81
ORING-650012-EP	O-ring for Bleeder Valve Screw	0.28
9568	Bleeder Valve Body Only (with plastic seat)	14.98
9569	Drain Tube Only for Bleeder Valve (for Standard and Indianapolis Test Benches)	16.75
9570	Expansion Connection Barrel Piece only	87.72
9571	Expansion Connection Handwheel only	87.72
9572	Beveled Gland Ring	28.10
GT-62	Beveled Rubber Expansion Connection Gasket (replaces beveled leather gasket)	5.78
GT-166	Rubber Gasket for 5/8" Meters	1.13
GT-118	Rubber Gasket for 5/8" x 3/4" or 3/4" Meters (priced from section E)	0.44
GT-124	Rubber Gasket for 1" Meters (priced from section H)	1.23
9578	Tester Yoke only	159.48
9579	Set of Adapters for 5/8", 5/8" x 3/4" and 3/4" Meters (per tester unit)	239.99
9580	5/8" Screw-in Adapter for Standard Test Bench	62.31
9581	5/8" Slide Adapter for Standard Test Bench	30.27
9582	5/8" x 3/4" Screw-in Adapter for Standard Test Bench	62.47
9583	5/8" x 3/4" and 3/4" Slide Adapter for Standard Test Bench	31.81
9584	3/4" Screw-in Adapter for Standard Test Bench	54.09
9586	Set O-ring Gaskets for KTI Standard Testerate Indicator	11.97
9731	Nylon Seat for Bleeder Valve Assembly	1.36

PARTS FOR INDIANAPOLIS TEST BENCHES

The following parts are the same as on Standard Benches: 1" inlet and outlet valves; testerate indicators and parts; swinging discharge pipes; pressure gage; bleeder valve bodies; rubber gaskets; pans and legs.

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9562-I	Blow-off Valve and Discharge Tube for Indianapolis Bench	\$ 149.82
9566-I	Bleeder Valve Assembly with Screw, O-ring and Drain Tube (for Indianapolis Test Bench)	51.26
ORING-650012-EP	O-ring for Bleeder Valve Screw	0.28
9569	Drain Tube only for Bleeder Valve (for Standard and Indianapolis Test Benches)	16.75
9588	Short Dolly Assembly	697.45
9592-1-LR	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping, for 5/8" Bench, Left to Right Flow	1285.78
9592-1-RL	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping, for 5/8" Bench, Right to Left Flow	1285.78
9592-2-LR	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 5/8" x 3/4" and 3/4" Bench, Left to Right Flow	1285.78
9592-2-RL	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 5/8" x 3/4" and 3/4" Bench, Right to Left Flow	1285.78
9592-4-LR	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 1" Bench, Left to Right Flow	1285.78
9592-4-RL	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 1" Bench, Right to Left Flow	1285.78
9710	Set O-rings for Indianapolis Clamping Cylinder	33.52
9593	4-way Control Valve with Handle for Hydraulic Cylinder, Less Piping	503.99
9594-I	4-way Control Valve with Handle for Hydraulic Cylinder with Piping for Indianapolis Bench	655.29
9726	5/8" Split Ring Adapter for 5/8" x 3/4" Indianapolis	42.02
9711	5/8" Split Ring Adapter for 1" Indianapolis	42.02
9712	5/8" x 3/4" and 3/4" Split Ring Adapter for 1" Indianapolis	42.02

K

PARTS FOR AKRON TEST BENCHES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9562-S-A	Blow-off Valve and Discharge Tube for Standard or Akron Bench	\$ 149.82
9566-A	Bleeder Valve Assembly with Screw, O-ring and Drain Tube for Akron Bench	51.96
ORING-650012-EP	O-ring for Bleeder Valve Screw	0.28
9569-A	Drain Tube Only for Akron Bench Bleeder Valve	23.97
9555	Nordstrom® Valve Stick Lubricant, sold in box quantity only (20 pcs.)	41.07
TB-HV-7-DV	2" Inlet Valve or Outlet Valve	1027.01
9598-LR	Inlet Clamping Cylinder, Less Pressure Gage, 4-way Control Valve and Piping, for Left to Right Flow	1587.38
9598-RL	Inlet Clamping Cylinder, Less Pressure Gage, 4-way Control Valve and Piping, for Right to Left Flow	1587.38
9599-LR	Intermediate Clamping Cylinder, Less Bleeder Valve, 4-way Control Valve and Piping, for Left to Right Flow	1587.38
9599-RL	Intermediate Clamping Cylinder, Less Bleeder Valve, 4-way Control Valve and Piping, for Right to Left Flow	1587.38
9600	2" Idler (for 'S' Akron Test Benches)	625.21
9601	2" Idler (for 'L' Akron Test Benches)	689.24
9602	Set O-rings for Akron Clamping Cylinder	33.44
9595	2" Swivel Union Only for Discharge Pipe	827.17
SDP-7	2" Swing Discharge Pipe 24" Reach (complete with swivel union)	1063.91
9593	4-way Control Valve for Hydraulic Cylinder, Less Piping	503.99
9594-A	4-way Control Valve for Hydraulic Cylinder with Piping for Akron Bench	655.29
9620	2" Ball Valve for KTI-DR	316.88
TC-A	Tester Clamp for Akron Bench (approx. wt. lbs. - 135.0)	1903.92

OPTIONAL FEATURES FOR AKRON TEST BENCHES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
AD-4	Adapters for Testing One 1" Meter	\$ 160.97
AD-3S	Adapters for Testing Two 5/8", 5/8" x 3/4" and One 3/4" Meter for "S" Akron Bench	1187.64
AD-3L	Adapters for Testing 5/8", 5/8" x 3/4" or 3/4" Meters for "L" Akron Bench	1329.82
SDP-7	Add for 2" Swinging Discharge Pipe - 24" Reach	1063.91
TC-A	Akron Tester Clamp for 3", 4", and 6" Flanged Meters (135 lbs.)	1903.92

METER ADAPTERS FOR AKRON BENCHES

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
HT-30	Centering Adapter for 2" Flanged Meter	0.3	\$ 95.89
HT-13	Adapter for 2" Tapped Meter	1.3	85.58
HT-15	Adapter for 1-1/2" Flanged Meter*	1.3	68.76
HT-32	Centering Adapter for 1-1/2" Tapped Meter - Used on Nose of HT-15	0.1	26.35
HT-17	Adapter for 1-1/4" Flanged Meter*	1.6	79.17
HT-15A	Adapter for 1-1/4" Tapped Meter*	1.8	81.62
HT-36	Adapter for 1-1/4" or 1" x 1-1/4" Meter with Male Threads	1.3	101.93
HT-14	Adapter for 1" Meter*	1.8	80.73
HT-10	Slide Saddle Holder. Used for 5/8" and 5/8" x 3/4" Meters to Test Two in Each Unit. Holder Rests on Aluminum Channels.	6.3	299.21
HT-34	Slide Saddle for 5/8" Meters. Fits into HT-10*.	1.3	231.47
HT-34A	Slide Saddle for 5/8" x 3/4" and 3/4" Meters. Fits into HT-10*.	1.2	231.47
HT-12	Adapter for 5/8" Meters*	0.4	49.68
HT-12A	Adapter for 5/8" x 3/4" and 3/4" Meters*	1.3	51.08
9726	Adapter for 5/8" Meters. Fits into HT-12A and HT-34A*.	0.1	42.02
HT-16	Adds 3-3/4" Extra Length. Used if Piston Travel is Insufficient for Clamping*.	3.2	151.69
HT-31	Adds 1/2" Extra Length. Used if Piston Travel is Insufficient for Clamping*.	0.8	53.62

* Gaskets included for meter end(s) of adapters, spacers and slide saddles.

GASKETS FOR AKRON ADAPTERS

CATALOG NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE
GT-133	Rubber Gasket for HT-16 and for Clamping Cylinder	2-1/8" x 3-1/4" x 3/8"	\$ 4.98
GT-134	Rubber Gasket for HT-13	2-3/16" x 2-7/8" x 1/4"	4.98
GT-139	Rubber Gasket for HT-17	1-7/32" x 2-1/8" x 5/16"	4.65
GT-129	Rubber Gasket for HT-15 and HT-15A	1-15/32" x 2-3/8" x 5/16"	4.65
GT-124	Rubber Gasket for HT-14	1-1/16" x 1-21/32" x 1/8"	1.23
GT-118	Rubber Gasket for HT-12A and HT-34A	13/16" x 1-11/32" x 1/8"	0.44
GT-166	Rubber Gasket for HT-12 and HT-34	11/16" x 1-7/64" x 1/8"	1.13
GT-132	Rubber Gasket for HT-31	2" x 3-1/4" x 1/8"	4.98
GT-128	Rubber Gasket for HT-36	1-1/4" x 1-29/32" x 1/8"	3.52

METER IDLERS



for 1-1/2" through 2" meters



for 5/8" through 1" meters

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
IDLER-1-NL	Replaces 5/8" Meter	0.6	40	\$ 30.67
IDLER-2-NL	Replaces 5/8" x 3/4" Meter	0.9	25	30.67
IDLER-2P	Replaces 5/8" x 3/4" Meter (plastic)	0.2	-	14.12
IDLER-3-NL	Replaces 3/4" Meter	0.9	18	41.12
IDLER-3P	Replaces 3/4" Meter (plastic)	0.2	-	15.12
IDLER-4-NL	Replaces 1" Meter	1.8	10	60.18
IDLER-4P	Replaces 1" Meter (plastic)	0.2	-	18.56
IDLER-6-NL	Replaces 1-1/2" Flanged Meter	5.8	-	210.04
IDLER-7-NL	Replaces 2" Flanged Meter	10.8	-	277.55

MISCELLANEOUS TESTER AND TANK PARTS

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9603	Gage Glass for Standard Calibrated Tank (4 ft.)	\$ 169.17
9605	1" Drain Valve for 1-F-SS or 10-G Tank	173.27
9606	1-1/2" Drain Valve for 20-GF or 10-FG Tank	271.17
9607	2" Drain Valve for 100-GF Tank	894.63
9608	3" Drain Valve	1092.60
9616	Tube and Rotor Assembly for KTI Testerate Indicator	1785.77
9617	Meter Vise Inlet Plug with Ring	190.78
9618	Meter Vise Outlet Plug	71.63
9619	Set 8 Brass Rings for Standard Tester Clamp	98.53

ELECTRONIC CONTROL UNIT PARTS

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9609	Electric Valve Only with Solenoid, Less Wire	\$ 413.14
9610	3/8" Strainer with Union	71.69
9610-S	Wire Mesh Strainer Only	10.92
9621	Electrode with Tube and Clamp at Standard 21-1/4" Length. (for custom lengths, use 9621-xx)	112.89
9621-xx	For custom length electrodes, provide the distance in inches from top of tank to water test level. Specify "electrodes to be ___ inches long." For each additional inch, add to price where xx is the total inches from top of tank to water test level.	2.42
9622	Flow Control Needle Valve for Electric Control Unit Bypass	308.62
9623	Electric Control Box with External Wires	1942.63
9628	Banana Plug Only (each)	11.58

Caution: Wire replacement requires a qualified electrician.

METER SHOP ACCESSORIES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9547	Meter Vise	\$ 853.46

K

CONTACT FACTORY FOR QUOTATION ON ANY OTHER PARTS WHICH ARE NOT LISTED.